

Look inside for Assembly Manual

Check us out!












Littleseedskids.com



Keep this Assembly Manual for future reference.





Two adults recommended for assembly

This product is not intended for commercial use.

Do NOT return this product.

For missing or broken parts

- Visit littleseedskids.com
- Write to cs@dhpfurniture.com

- Call 1-800-267-1739

Follow little seeds on











Do NOT return this product!

Contact our friendly customer service team first for help.

Call us! 1-800-267-1739 Monday-Friday 9am - 5pm EST



Visit littleseedskids.com to view the limited warranty valid in the U.S. and Canada.

Helpful Hints

PEOPLE NEEDED FOR ASSEMBLY: 1-2 ESTIMATED ASSEMBLY TIME: 1 HOUR

- Open your item in the area you plan to keep it for less heavy lifting.
- Identify, sort and count the parts before attempting assembly.
- Do Not use harsh chemicals or abrasive cleaners on this item.
- Never push, pull, or drag you furniture.
- Assemble on clean, smooth surface to prevent damage to product finish.
- Do Not use power tools.










Before You Star



Separate and count all your parts and hardware.

Give yourself enough room for the assembly process.

Cleaning and Maintenance Instructions:

Dust regularly with a soft, dry cloth to prevent soil build up. Keep away from heat to avoid glazing, melting or scorching. Use a professional cleaning service to clean the fabric.





Parts List

Actual Size





BOLT 4PCS

4



BOLT 8PCS 2



FLAT WASHER 12PCS

(5)



1PC


(3)



SPRING WASHER 12PCS

Not Actual Size

A.



CHARI BODY 1PC


D.



В.



FRONT METAL LEG 1PC C.





REAR METAL LEG 1PC





Step 1


Attach metal legs (B & C) to chair body (A) with bolts (4), flat washers (2) & spring washers (3). Use allen key (5) to tighten the bolts.













Step 2



Attach feet (D) to metal legs (B & C) with flat washers (2), spring washers (3) and bolts (1). Use Allen key (5) to tighten the bolts.

Turn the rocker upright.

